



Aquatic Gel Diet for Herbivorous Fish

Mazuri® Aquatic Gel Diet for Herbivorous Fish is designed to meet the nutritional requirements of herbivorous fish. This diet is shipped as a powder that is designed to be made into a gel prior to feeding.

Features and Benefits

- **Soft-moist texture of gel** – More palatable to fish which are difficult to feed.
- **Contains all vitamins and trace minerals known to be required for fish.**
- **Contains probiotics** – To support gastrointestinal and skin health in fish.
- **Contains pigmenting agents** – Provides optimum coloration.
- **Low starch formula** – More closely replicates wild-type diets.
- **Multiple sustainable fish meal sources used.**

Product Form & Packaging

Catalog #1815254-409 | Dry Powder | Order by the kg.

Guaranteed Analysis (dry powder)

| | | | |
|-----------------------------------|--------|--------------------------------|------------|
| Crude protein not less than | 32.00% | Calcium not more than..... | 2.00% |
| Crude fat not less than | 4.00% | Phosphorus not less than | 1.10% |
| Crude fiber not more than..... | 8.00% | Sodium not more than | 1.38% |
| Moisture not more than..... | 10.00% | Selenium not less than..... | 0.60 mg/kg |
| Ash not more than | 13.00% | Selenium not more than..... | 0.72 mg/kg |
| Calcium not less than | 1.50% | | |

Ingredients

Dehydrated Alfalfa Meal, Carrot Powder, Dehulled Soybean Meal, Gelatin, Spirulina, Algae Meal, Menhaden Meal, Spinach Powder, Wheat Germ, Salmon Meal, Dicalcium Phosphate, Ground Soybean Hulls, Salt, Fish Oil, Dried Kelp, Shrimp Meal, Anhydrous Betaine, DL-Methionine, Soybean Oil, L-Threonine, Xanthan Gum, L-Ascorbyl-2-Polyphosphate (Vitamin C), Zinc Amino Acid Complex, Choline Chloride, Taurine, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Inositol, Dried Enterococcus faecium Fermentation Product, Tagetes (Aztec Marigold) Extract (Color), Manganese Methionine Hydroxy Analogue Chelate, Nicotinic Acid, Pyridoxine Hydrochloride, D-Alpha Tocopheryl Acetate (Vitamin E), Preserved with Mixed Tocopherols, Calcium Pantothenate, Thiamine Mononitrate, Citric Acid (a Preservative), Canthaxanthin (color), Riboflavin Supplement, Beta Carotene, Basic Copper Chloride, Menadione Sodium Bisulfite Complex (Vitamin K), Vitamin A Acetate, Folic Acid, Rosemary Extract, Sodium Selenite, Biotin, Cholecalciferol (Vitamin D3), Vitamin B12 Supplement.

Feeding Directions

NEVER FEED DRY PRODUCT.

- Combine by weight 70% boiling water and 30% Mazuri® gel powder. Adjust ratios to desired texture and need.
 - Mix fully, pour into shallow pan. Refrigerate until firm. Cut to desired size and feed.
- Intake of up to 50% prepared Mazuri® gel is recommended.
- Always provide plenty of fresh, clean water.
- Prepared gel should be consumed or discarded within 24 hours or stored no longer than 7 days under refrigeration or up to 1 month frozen. If frozen, it is recommended that frozen batches be individually sealed in amount of usage, as repeated entry into the container exposes gel to oxygen.
- Thoroughly wash feed and water bowls on a regular basis. It is always good practice to wash hands thoroughly after feeding and/or handling animals. This diet is not for human consumption.

Caution: Follow label directions: Feeding added selenium at levels in excess of 0.3 ppm in total diet is prohibited.

Storage Conditions

Mazuri® Gel Diets have a 1-year shelf life in the dry powder form when stored in a dry environment. For best results, tightly affix lid on canister after removal of desired dosage or store contents of open bags in container with sealing lid. Store in a cool (75°F/24°C or colder), dry (approximately 50% RH) location free from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death. The mixed product should be stored under refrigeration for no longer than 7 days or frozen for up to 1 month. It is recommended that frozen batches be individually sealed in amount of usage, as repeated entry into the container exposes gel to oxygen. Once this product is mixed, it should be handled like raw food.